$\mathtt{AD}_{_}$	

Award Number: DAMD17-98-1-8213

TITLE: Genetic Epidemiology of Mammographic Breast Density

PRINCIPAL INVESTIGATOR: Thomas Sellers, Ph.D.

CONTRACTING ORGANIZATION: Mayo Foundation

Rochester, Minnesota 55905

REPORT DATE: October 1999

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;

distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

DTIC QUALITY INSPECTED 4

Form Approved

REPORT DOCUMENTATION PAGE				OMB No. 074-0188	
Public reporting burden for this collection of informat the data needed, and completing and reviewing this	structions, searching	existing data sources, gathering and maintaining			
reducing this burden to Washington Headquarters Se	ervices, Directorate for Information Operations	and Reports, 1215 Jefferson Davis F	lighway, Suite 1204,	Arlington, VA 22202-4302, and to the Office of	
Management and Budget, Paperwork Reduction Pro 1. AGENCY USE ONLY (Leave	2. REPORT DATE	3. REPORT TYPE AND	D DATES COVERED		
blank)	October 1999	Annual (01 Oct			
4. TITLE AND SUBTITLE			5. FUNDING	i	
Genetic Epidemiology of Mammographic Breast Density				DAMD17-98-1-8213	
C AUTHOR(O)					
6. AUTHOR(S) Thomas Sellers, Ph.D.					
Hollids Schels, 1 ll.D.					
7. PERFORMING ORGANIZATION NA	ME(S) AND ADDRESS(ES)		8 DEDECOM	NG ORGANIZATION	
Mayo Foundation	INE(O) AND ADDITECO(EO)			REPORT NUMBER	
Rochester, Minnesota 55905					
a mail-					
e-mail: sellers.thomas@mayo.edu					
seneralization as a may ened a					
9. SPONSORING / MONITORING AG	ENCY NAME(S) AND ADDRESS(ES)	10. SPONSOF	RING / MONITORING	
TICA MILIT I	W + 110 1		AGENCY	REPORT NUMBER	
U.S. Army Medical Research and Fort Detrick, Maryland 21702-501					
Fort Detrick, War yland 21702-501	.2				
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION / AVAILABILITY Approved for public release;		12b. DISTRIBUTION CODE			
distribution unlimited					
13. ABSTRACT (Maximum 200 Word	5)				
Mammographic percent de	nsity is an established	and important risk	factor for	breast cancer. We have	
	-	-			
previously shown that this risk factor has a considerable genetic component that may be the result of a single major gene. We are now working to localize this gene to an autosome. Simulation studies were performed on all					
study families (n=426). We identified 57 families in which multiple members have previously obtained					
mammograms. Primary efforts are to obtain DNA samples on these family members. To date, letters of					
invitation (consent forms) have been sent to more than half ($n = 264$) of the study women. A total of 189 have					
agreed, 31 declined participation, 16 were deceased, 4 are in a nursing home, and 24 have yet to be contacted.					
Of the blood kits that have been mailed, 144 have already been returned. Isolation of DNA from peripheral					
• • •					
blood for genetic analysis has been on-going as the samples get delivered to the Molecular Genetics Laboratory at the Mayo Clinic. Genotyping, analysis, and preparation of reports will not begin until all of the DNA					
samples have been collected. In summary, it is still early in the conduct of this research study but progress is					
being made according to the proposed timeline.					
being made according to the	proposed unlenne.				
14. SUBJECT TERMS				15. NUMBER OF PAGES	
breast, mammography, genetics, inheritance			6		
ordayi, maimiography, gono	acs, illicituate			16. PRICE CODE	

Unclassified NSN 7540-01-280-5500

OF REPORT

17. SECURITY CLASSIFICATION

Standard Form 298 (Rev. 2-89) Prescribed by ANSI Std. Z39-18 298-102

20. LIMITATION OF ABSTRACT

Unlimited

19. SECURITY CLASSIFICATION

Unclassified

OF ABSTRACT

18. SECURITY CLASSIFICATION

Unclassified

OF THIS PAGE

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the

author and are not necessarily endorsed by the U.S. Army. Where copyrighted material is quoted, permission has been obtained to use such material. Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material. Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations. In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985). For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46. In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health. In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules. In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

Page 3

TABLE OF CONTENTS

FRONT COVER			
STANDARD FORM (SF) 298, REPORT DOCUMENTATION	PAGE2		
FOREWORD			
TABLE OF CONTENTS	4		
REPORT BODY	5		
Introduction	5		
Body	5		
KEY RESEARCH ACCOMPLISHMENTS	5		
REPORTABLE OUTCOMES			
CONCLUSIONS	5		
References	6		
APPENDICES	6		

Introduction

The radiographic appearance of the female breast depends on the relative proportions of fat, fibroglandular, and stromal tissue. Extensive research shows that women with greater proportions of fibroglandular and stromal tissue are at significantly increased risk of breast cancer than women with low proportions of dense tissue. We recently provided evidence that there appears to be a single major gene influence on mammographic breast density. The present project is an effort to confirm evidence for a major gene and localize it to one of the human chromosomes through genetic linkage analysis. Capitalizing on research data already collected on these families, we have identified a subset through simulation studies that would be informative for linkage analysis. From these women, we are obtaining blood samples as a source of DNA and generating anonymous DNA markers that span the human genome. These genetic markers would allow us to identify cosegregation of breast density trait with genetic markers as a first step to localize the gene.

Body

Considerable progress has been made on this project. As described in the Statement of Work, Task 1 was to select a subset of study families for analysis. This task has been completed. We have identified 57 families in which multiple members have previously obtained mammograms. Simulation studies were done on all 426 families to identify those that would provide the most information for genetic linkage analysis. Task 2 was to schedule the appointments for venipuncture. To date, letters of invitation (consent forms) have been sent to 264 women. A total of 189 have agreed, 31 declined participation, 16 were deceased, 4 are in a nursing home, and 24 have yet to be contacted. Of the blood kits that have been mailed, 144 have already been returned. Work on Task 2 will continue. Task 3 is to isolate DNA from peripheral blood for genetic analysis. This work has been ongoing as the samples have been delivered to the Molecular Genetics Laboratory at the Mayo Clinic. Tasks 4-6 (genotyping, analysis, and preparation of reports) will not begin until all of the DNA has been collected. In addition, we have been working on updating our original phenotype of percent breast density to a computer-assisted estimate of percent breast density that we will compare with our subjective determination initially proposed for this linkage analysis.

Key Research Accomplishments

There are no results generated from this study at this time

Reportable Outcomes

None.

Conclusions

We are still in the data collection phase. No conclusions will be possible until we have done genotyping and data analysis.

References

None.

Appendices

None.